



OIML Member State
Denmark

OIML Certificate No.
R76/2006-A-DK2-2023.03

OIML CERTIFICATE ISSUED UNDER SCHEME A

OIML Issuing Authority

Name: **FORCE Certification A/S**
Address: **Park Allé 345, 2605 Brøndby, Denmark**
Person responsible: **Per Rafn Crety**

Applicant

Name: **Xiamen ATP Technology Co., Ltd.**
Address: **Room 816, Eastern Commercial Building
Yibing North Road, Huli District
Xiamen
China**

Manufacturer Xiamen ATP Technology Co., Ltd.

Identification of the certified type (*the detailed characteristics will be defined in the additional pages*)

ATP160xx
(xx is indicating variants and may be A-Z and 0-99)

Designation of the module (*if applicable*)

Non-automatic weighing instrument

This OIML Certificate attests the conformity of the above identified type (represented by the sample(s) identified in the OIML type evaluation report) with the requirements of the following Recommendation of the International Organization of Legal Metrology (OIML):

OIML R 76-1, Edition (year): 2006

For accuracy class (if applicable): **III**

This OIML Certificate relates only to metrological and technical characteristics of the type of measuring instrument covered by the relevant OIML Recommendation identified above.

This OIML Certificate does not bestow any form of legal international approval.

The conformity was established by the results of tests and examinations provided in the associated OIML reports:

Type examination report: No. 121-33865.90.10, dated 10 August 2022, that includes 69 pages

Type evaluation report: No. 123-25950.90.20, dated 07 June 2023, that includes 22 pages

The technical documentation relating to the identified type is contained in documentation file:
121-33865

OIML Certificate History

Revision No.	Date	Description of the modification
Initial version	22 June 2023	

Identification, signature and stamp

The OIML Issuing Authority

FORCE Certification A/S

Date: 22 June 2023

Jens Hovgård Jensen

Certification Manager

Jens Hovgård Jensen

2023-06-22

Digitally signed by Jens Hovgård Jensen

jhje@force.dk

Certification Manager

Important note: Apart from the mention of the Certificate's reference number and the name of the OIML Member State in which the Certificate is issued, partial quotation of the Certificate and of the associated OIML type evaluation report(s) is not permitted, although either may be reproduced in full.

Descriptive annex

Characteristics

• Accuracy class	III
• Single interval, multi-interval (dual)	
• Maximum number of verification scale intervals:	3000 or 2x3000
• Maximum capacity (Max):	6 kg to 30 kg
• Minimum capacity (Min):	$20 \times e$
• Verification scale interval(e):	$\geq 2 \text{ g}$
• Maximum tare effect:	- Max
• Temperature range.	-10 °C to +40 °C
• Power supply:	110/220 VAC 50/60Hz

Software

The approved software is version 1 BJ_1.0.1.2f

This information is displayed at power up.

Devices

- Initial zero setting device ($\leq 20\%$ of Max)
- Semi-automatic zero setting device ($\leq 4\%$ of Max)
- Zero tracking device ($\leq 4\%$ of Max)
- Semi-automatic subtractive tare weighing device
- Preset Tare
- Label Printing
- Stable equilibrium, Zero and Net indicators.
- PLU tables
- Totalization

Interfaces

- RS232C
- Cash Drawer
- Ethernet
- Wireless LAN
- USB

The interfaces do not have to be secured.